

## Accessories



## Why NOVO?

The most experienced team, In-House Research and Development, innovative technology, superb raw materials, we offer the best in every class:



*Image Quality*




*Reliability*



*Ease of Use*



*Professional Support*





# Accessories

## Lookout

### *Organic Detection, Live Audio and Video*

The NOVO Lookout is a Lightweight, 3 in 1 accessory enabling the following capabilities.

#### Organic Detection


- Assists in identification of the content and nature of an inspected item by providing organic / inorganic detection
- A Colorized X-Ray Image is Automatically Displayed

#### Live Video


- Provides a Live Video stream of the inspected item
- The Camera switches automatically between day/night mode (Infra-red)
- Provides a Still Image that can be grabbed and used for analysis and documentation

#### Live Audio


- Provides a Live Audio stream of the inspected environment allowing the operator to hear the Golden's "clicks" in addition to monitoring the sounds in the surrounding area
- Controlled completely by the NOVO Touch Software
- Compatible with all Golden Engineering sources including the XRS4



*X-Ray Image*



*Organic & Inorganic Detection Image*



*External Still Image*




1.3 lbs. (0.6kg)  
4.7" x 4.7" x 2.7"  
(12cm x 12cm x 7cm)

# Accessories


## Armor Kit

The Armor Kit Contains the NOVO Armor, which provides additional mechanical protection to the NOVO Detectors, Armor Stand and a traveling soft cover.

- Newest shock absorbent technology
- Water resistant design
- Supports wired & wireless communication
- Multiple positioning options
- Tripod connection using the Built-in 1/4" threads
- Simple Detector battery replacement



NOVO Armor 12SF



NOVO Armor 15WS




NOVO Armor 22WS

| Armor Protective Cover for 12SF Detector    | Armor Protective Cover for 15WS Detector    | Armor Protective Cover for 22WS Detector    |
|---------------------------------------------|---------------------------------------------|---------------------------------------------|
| 4lbs. (1.8kg)                               | 6.4lbs (2.9kg)                              | 9.2lbs. (4.2kg)                             |
| 12.2" x 15.3" x 1.9"<br>(31cm x 39cm x 5cm) | 16.5" x 15.3" x 1.9"<br>(42cm x 39cm x 5cm) | 22.4" x 18.8" x 2.3"<br>(57cm x 47cm x 6cm) |

## Soft Protective Cover

The Detector Soft Protective Cover provides additional lightweight protection for NOVO Detectors.

- Additional weather & impact protection
- Special opening for Tripod Mount access
- Various positioning options using a carrying strap or D-Rings
- Supports wired & wireless communication
- Lightweight & small footprint




| Soft Protective Cover for 15WS Detector | Soft Protective Cover for 22WS Detector |
|-----------------------------------------|-----------------------------------------|
| 1.3lbs. (0.6kg)                         | 2.4lbs. (1.1kg)                         |
| 12.2" x 14.9"<br>(31cm x 38cm)          | 19.6" x 16.1"<br>(50cm x 41cm)          |

# Accessories


## Tripod Mounts

The Tripod Mount is a lightweight accessory that firmly holds the detector and provides various positioning options.


- Four 1/4" standard threads (for portrait and landscape) for tripod or manipulation arm connection
- Secured connection to the Detector using a safety pin
- Numerous positioning options



NOVO 22WS Tripod Mount



NOVO 15WS Tripod Mount



NOVO 12SF Tripod Mount

## Communication Cable

The communication cable provides reliable and fast data transmission between the various system parts.

- Power Over Line for unlimited operation when using an external power source (using the Control Box and Falcon II)
- Maximum of 300m wired operation range
- Lightweight, robust custom reel- connected to the case or as "stand-alone"
- Extension cables of 50m, 100m and 150m

Backpack Reel



Extension Reel




Pelican Reel



# Additional Accessories


## 3D ARC

3D Imaging with exact X, Y, Z measurements




## Folding Slider L

Ideal for screening large objects



## Folding Slider XXL

Super sized, ideal for screening XXL objects



## Eagle

Extremely long range wireless transceiver up to 3.3km (2 miles) LOS




## Robot C-Arm

Detector and X-Ray Holder



## Robot Detector Frame

Lightweight, shock absorbing



## Wireless Super Ranger

Increases wireless distance and stability



Compatible with the XTK® Software



**Advantage!**

Contract # **GS-07F-163DA**